

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	3	(optical near2 precis\$5) same optim\$3 same (workpiece\$1 or circuit or wafer\$1 or semiconductor\$1 or ic or integrated) same (illuminate\$4 or lumin\$5 or brightness or gradient or contrast) same imag\$3	US- PGPUB; USPAT	2007/03/20 11:56	
2	BRS	L2	12945	(optical ad precis\$5) same (focus or brightness or contrast) same control\$3 same imag\$3	US- PGPUB; USPAT	2007/03/20 11:58	
3	BRS	L3	2587	2 same (inspect\$4 or, measur\$6)	US- PGPUB; USPAT	2007/03/20 11:59	
4	BRS	L4	2094	3 same (location\$1 or coordinate\$1 or co- ordinate\$1 or position\$3 or edge\$1 or focus)	US- PGPUB; USPAT	2007/03/20 12:00	
5	BRS	L5	822	4 same (adjust\$6 or correct\$6)	US- PGPUB; USPAT	2007/03/20 12:00	
6	BRS	L6	60	5 same edge\$1	US- PGPUB; USPAT	2007/03/20 12:01	
7	BRS	L7	26	6 and brightness	US- PGPUB; USPAT	2007/03/20 12:01	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
8	BRS	L8	23	7 and (maxim\$3 or extrem\$3)	US- PGPUB; USPAT	2007/03/20 12:04	
9	BRS	L9	3	(brightness near10 illuminate\$5) same (maxim\$3 or extrem\$3) same (optical near3 (precis\$5 or correct\$5 or adjust\$5))	US- PGPUB; USPAT	2007/03/20 12:08	
10	BRS	L10	3	(optim\$7 near10 optical near1 precis\$5) and brightness and contrast and edge\$1 and imag\$3	US- PGPUB; USPAT	2007/03/20 12:17	
11	BRS	L11	4	(illuminate\$4 near3 condition\$1) same optical same precis\$4 same measur\$6 same contrast	US- PGPUB; USPAT	2007/03/20 12:18	
12	BRS	L12	0	(illuminate\$4 near3 condition\$1) same (optical near1 precis\$4)	US- PGPUB; USPAT	2007/03/20 12:18	
13	BRS	L13	73	(illuminate\$4 near3 condition\$1) and (optical near1 precis\$4)	US- PGPUB; USPAT	2007/03/20 12:19	
14	BRS	L15	64	13 and measur\$6	US- PGPUB; USPAT	2007/03/20 12:20	
15	BRS	L16	2	15 and ancillary	US- PGPUB; USPAT	2007/03/20 12:20	
16	BRS	L17	116	ancillary and (optical near2 precis\$4)	US- PGPUB; USPAT	2007/03/20 12:21	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
17	BRS	L18	2	(ancillary near10 (focus or edge or contrast or brightness)) and (optical near2 precis\$4)	US-PGPUB; USPAT	2007/03/20 12:22	
18	BRS	L19	604	(optical near2 precis\$4) same (coordinate\$1 or position\$3 or location\$1 or co-ordinate) same (inspect\$4 or measur\$6)	US-PGPUB; USPAT	2007/03/20 12:32	
19	BRS	L20	61	19 same (edge\$1 or focus\$1)	US-PGPUB; USPAT	2007/03/20 12:24	
20	BRS	L21	6	20 same (intensit\$3 or brightness or lumin\$6)	US-PGPUB; USPAT	2007/03/20 12:27	
21	BRS	L22	2840	19 and (edge adj site) or (structure near1 site)	US-PGPUB; USPAT	2007/03/20 12:28	
22	BRS	L23	7	22 and (optical near1 scan\$5)	US-PGPUB; USPAT	2007/03/20 12:29	
23	BRS	L24	0	(automatic\$5 near3 adjust\$5) same (optical near5 precision near5 measur\$6)	US-PGPUB; USPAT	2007/03/20 12:31	
24	BRS	L25	452	optim\$6 with target with quantit\$3	US-PGPUB; USPAT	2007/03/20 12:31	
25	BRS	L26	1	25 same (optical near3 (precis\$5 or correct\$5 or adjust\$6))	US-PGPUB; USPAT	2007/03/20 12:32	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
26	BRS	L27	36	25 and (optical near3 (precis\$5 or correct\$5 or adjust\$6))	US- PGPUB; USPAT	2007/03/20 12:32	
27	BRS	L28	35	27 and (coordinate\$1 or position\$3 or location\$1 or co-ordinate)	US- PGPUB; USPAT	2007/03/20 12:33	
28	BRS	L29	30	28 and (brightness or intensit\$3 or lumin\$5 or edge\$1)	US- PGPUB; USPAT	2007/03/20 12:33	
29	BRS	L30	2	29 and (difference near10 (maxim\$3 or extrem\$3))	US- PGPUB; USPAT	2007/03/20 12:34	
30	BRS	L33	25937	(focus or contrast or gradient or brightness or parameter\$1) same optim\$6 same (weigh\$3 or sum\$5 or add\$3 or total or all)	US- PGPUB; USPAT; EPO	2007/03/20 12:43	
31	BRS	L34	1675	33 same optical	US- PGPUB; USPAT; EPO	2007/03/20 12:43	
32	BRS	L35	575	34 same (precis\$5 or correct\$4 or adjust\$6)	US- PGPUB; USPAT; EPO	2007/03/20 12:44	
33	BRS	L36	131	35 same (intensit\$3 or illuminat\$4 or brightness or lumin\$6)	US- PGPUB; USPAT; EPO	2007/03/20 12:45	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
34	BRS	L37	35	36 same (criter\$3 or condition\$1)	US- PGPUB; USPAT; EPO	2007/03/20 12:46	
35	BRS	L38	5	("4202014" "4691365" "5193124" "5376991" "5978027").PN	US- PGPUB; USPAT; EPO	2007/03/20 12:50	
36	BRS	L39	42	(optical near2 (accuracy or precis\$5) near5 (measur\$6 or test\$3 or inspect\$4)) same (parameter\$1 or brightness or contrast or focus\$3 or illuminat\$4 or lumin\$5) same control\$4	US- PGPUB; USPAT; EPO	2007/03/20 12:54	
37	BRS	L40	3	39 same optim\$3	US- PGPUB; USPAT; EPO	2007/03/20 12:54	